

Product	Conduit for electrical installations
Applicant	PM Plastic Materials S.R.L. Via XXV Aprile, 15 24030 Almenno San Bartolomeo (BG) Italy
Manufacturer	PM Plastic Materials S.R.L. Via XXV Aprile, 15 24030 Almenno San Bartolomeo (BG) Italy
Factory	PM Plastic Materials s.r.l Via XXV Aprile, 15 - Localita Campino 24030 Almenno San Bartolomeo (BG) Italy
Ratings	16mm
Trade mark	PM, PROFI FLEX
Model / Type Ref.	ICTA* 16
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -5/+90°C. Non-flame propagating. Classification 3422.
A sample of the product was tested and found to be in conformity with	INST EN 61386-1:2008 EN 61386-22:2004;A11
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.
Additional information	Colour codes (*): None = Grey, A = Blue, N = Black, V = Green, X = Ivory No halogen according to EN 60754-1:2014 and EN 60754-2:2014. The conduits comply with requirement according Low Smoke "LSZH" test to IEC 61034-2:2005+A1.
Additional model(s)	(11) See page 2

Date of issue 23-05-2018



Okhyun Jeon
Certification Department

Nemko AS
Gaustadalléen 30, P.O. Box 73 Blindern, 0314 Oslo, Norway
TEL +47 22 96 03 30 FAX +47 22 96 05 50 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532

Additional model(s)

Product	Conduit for electrical installations
Pos. No	1
Model / Type Ref.	ICTA* 40
Trade mark (if different from page 1)	
Rating	40mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -25/+90°C. Non-flame propagating. Classification 3342.
Product	Conduit for electrical installations
Pos. No	2
Model / Type Ref.	ICTA* 50
Trade mark (if different from page 1)	
Rating	50mm
Principal characteristics	Pliable self-recovering conduit of insulated material in grey and blue color. Temperature range -25/+90°C. Non-flame propagating. Classification 3342.
Product	Conduit for electrical installations
Pos. No	3
Model / Type Ref.	ICTA* 16
Trade mark (if different from page 1)	
Rating	16mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -25/+90°C. Non-flame propagating. Classification 3342.
Product	Conduit for electrical installations
Pos. No	4
Model / Type Ref.	ICTA* 20
Trade mark (if different from page 1)	
Rating	20mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -5/+90°C. Non-flame propagating. Classification 3422.
Product	Conduit for electrical installations
Pos. No	5
Model / Type Ref.	ICTA* 25
Trade mark (if different from page 1)	
Rating	25mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -5/+90°C. Non-flame propagating. Classification 3422.

Date of issue 23-05-2018



Okhyun Jeon

Certification Department

Nemko AS

Gaustadalléen 30, P.O. Box 73 Blindern, 0314 Oslo, Norway
TEL +47 22 96 03 30 FAX +47 22 96 05 50 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532

Product	Conduit for electrical installations
Pos. No	6
Model / Type Ref.	ICTA* 32
Trade mark (if different from page 1)	
Rating	32mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -5/+90°C. Non-flame propagating. Classification 3422.
Product	Conduit for electrical installations
Pos. No	7
Model / Type Ref.	ICTA* 40
Trade mark (if different from page 1)	
Rating	40mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -5/+90°C. Non-flame propagating. Classification 3422.
Product	Conduit for electrical installations
Pos. No	8
Model / Type Ref.	ICTA* 50
Trade mark (if different from page 1)	
Rating	50mm
Principal characteristics	Pliable self-recovering conduit of insulated material in grey and blue color. Temperature range -5/+90°C. Non-flame propagating. Classification 3422.
Product	Conduit for electrical installations
Pos. No	9
Model / Type Ref.	ICTA* 20
Trade mark (if different from page 1)	
Rating	20mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -25/+90°C. Non-flame propagating. Classification 3342.
Product	Conduit for electrical installations
Pos. No	10
Model / Type Ref.	ICTA* 25
Trade mark (if different from page 1)	
Rating	25mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -25/+90°C. Non-flame propagating. Classification 3342.

Date of issue 23-05-2018



Okhyun Jeon
Certification Department

Product	Conduit for electrical installations
Pos. No	11
Model / Type Ref.	ICTA* 32
Trade mark (if different from page 1)	
Rating	32mm
Principal characteristics	Pliable self-recovering conduit of insulated material in ivory, green, black, grey and blue color. Temperature range -25/+90°C. Non-flame propagating. Classification 3342.

Date of issue 23-05-2018



Okhyun Jeon

Certification Department

Nemko AS

Gaustadalléen 30, P.O. Box 73 Blindern, 0314 Oslo, Norway
TEL +47 22 96 03 30 FAX +47 22 96 05 50 EMAIL info@nemko.com
ENTERPRISE NUMBER NO974404532