

FITTING PIPE-SPIREX 16 MM




IP65 tight fittings for the connection of rigid pipes with Spirex spiralled sheath 2311. They are made in PVC and they are dust-tight and protected against water jets. Colour: grey (RAL 7035).

Art. code:	GS16
Colour	Grey - RAL 7035
Pipe diameter	16 mm
Spirex diameter	12 mm
Mini pack	50 pcs
Maxi pack	800 pcs
Compliant with Low Voltage Directive	LVD 2014/35/EU
Rigid	Fitting pipe-Spirex GS
Spirex	Fitting pipe-Spirex GS

Technical information

Technical specification

Material	PVC
Resistance to the penetration of solid objects	Dust-tight (6)
Resistance to water penetration	Protected against water jets (5)
IP protection rating	IP65
Fire resistance: non-flame propagating	■
Standard	EN 61386.1, EN 61386.21, EN 60423
Glow Wire Test (IEC EN 60695-2)	850°C
Compliant with Low Voltage Directive	LVD 2014/35/EU
Certifications	

Related products




HF Coupling 25 mm

Art. code: MFL25



HF Coupling 32 mm

Art. code: MFL32



HF Coupling 40 mm

Art. code: MFL40




Cable drawer MON3 25 m

Art. code: MON325



Cable puller STCX 10 m

Art. code: STCX10



Coupling with clip 25 mm

Art. code: SML25