Pmflex:

FITTINGS SPIREX-BOX 10 MM



IP65 Fittings for Spirex 2311 and box connection. They are compliant with the European standards EN 61386.1 and EN 61386.23 and they are grey (RAL 7035). These articles are available also in black colour: the code changes, by replacing the final letter G with "N"."

Art. code: RAG10G 1/4" - RAI12G 12x1,5 - RAP10PG9

Colour Grey - RAL 7035

Gas lead RAG10G 1/4"

Metric lead (IMQ) RAI12G 12x1,5

PG lead RAP10PG9

Diametro Spirex 10 mm

Pack 25 pcs

Compliant with Low Voltage

LVD 2014/35/EU

Directive

Spirex Fittings Spirex-box

Pmflex:

Technical information

Technical specification

Material PVC

Resistance to the penetration of

solid objects

Dust-tight (6)

Resistance to water penetration Protected against water jets (5)

IP protection rating IP65

Fire resistance: non-flame

propagating

Standard EN 61386.23, EN 60423

Glow Wire Test (IEC EN 60695-2) 850°C

Certifications



Pmflex:

Related products





Cable drawer MON 10 m

Art. code: MON10

GoEasy Plus

Art. code: PMEASYPLUS

Coupling with clip 50 mm

Art. code: SML50







Cable drawer MON3 20 m

Art. code: MON320

Coupling with clip 32 mm

Art. code: SML32

Cable drawer MON3 25 m

Art. code: MON325