

FITTINGS SPIREX-BOX 22 MM



IP65 Fittings for Spirex 2311 and box connection. They are compliant with the European standards EN 61386.1 and EN 61386.23 and they are grey (RAL 7035). These articles are available also in black colour: the code changes, by replacing the final letter G with "N".

Art. code:	RAG22G 3/4" - RAP22PG21
Colour	Grey - RAL 7035
Gas lead	RAG22G 3/4"
PG lead	RAP22PG21
Diametro Spirex	22 mm
Pack	25 pcs
Compliant with Low Voltage Directive	LVD 2014/35/EU
Spirex	Fittings Spirex-box

Technical information

Technical specification

Material	PVC
Resistance to the penetration of solid objects	Dust-tight (6)
Resistance to water penetration	Protected against water jets (5)
IP protection rating	IP65
Fire resistance: non-flame propagating	I
Standard	EN 61386.1, EN 61386.23, EN 60423
Glow Wire Test (IEC EN 60695-2)	850°C
Certifications	CE

Related products



Coupling with clip 25 mm

Art. code: SML25



Cable puller STCX 10 m

Art. code: STCX10



Cable puller STCX 20 m

Art. code: STCX20



Cable drawer MON3 25 m

Art. code: MON325



Coupling with clip 16 mm

Art. code: SML16



Cable drawer MON3 15 m

Art. code: MON315