FLEX BEND PIPE-BOX 20 MM



IP65 flexible tight bends for the connection of rigid pipes with junction boxes. They are made in PVC and they are dust-tight and protected against water jets. Colour: grey (RAL 7035).

Art. code: CXS20

Colour Grey - RAL 7035

Diameter 20 mm

Pack 50 pcs

Compliant with Low Voltage

LVD 2014/35/EU

Directive

Rigid Flex bend pipe-box

Pmflex:

Technical information

Technical specification

Material PVC

Resistance to the penetration of

solid objects

Dust-tight (6)

Resistance to water penetration Protected against water jets (5)

IP protection rating IP65

Fire resistance: non-flame

propagating

Standard EN 61386.1, EN 61386.21, EN 60423

Glow Wire Test (IEC EN 60695-2)

Compliant with Low Voltage

Directive

Certifications

LN 01300.1, LN 01300.21, LN 00423

850°C

LVD 2014/35/EU



Pmflex:

Related products







HF Coupling 32 mm

Art. code: MFL32

Cable puller STCX 10 m


Art. code: STCX10

Cable drawer MON 10 m

Art. code: MON10







Cable puller STCX 20 m

Art. code: STCX20

Cable drawer MON3 10 m

Art. code: MON310

Coupling with clip 16 mm

Art. code: SML16